






Quick Change Tool Holder Selection Guide

Choose from 5 time-saving
Quick Change holder styles!

A Unique Design

Micro 100's Micro-Quik™ features a whistle notch configuration, proven to enhance axial accuracy over the standard set screw design used by other quick change system manufacturers. The whistle notch ensures that the tool is always held in location, anchored accurately in place, and pushed completely against the locating mechanism.

	Straight Holder Standard Length	Straight Holder Long Length	Headed Holder Standard Length	Headed Holder Long Length	Tool Holder System Double Ended Modular
					
	QTS / QTSP	QTSL / QTSPL	QTH / QTHM	QTHL / QTHML	QDH / QDS / QDSM
	A reliable go-to for maximum machine compatibility and best-in-class coolant delivery options.		"The Original" holder designed to excel in high axial force operations.		Double-ended for use in twin spindle and Y-axis tooling block locations.
Coolant Access Type	Plumbed & Ported	Plumbed & Ported	Plumbed	Plumbed	Ported
Headless Holder Design for Easy Machine Access	✓	✓			✓
Adjustable Holder Depth in the Block	✓	✓			✓
Can Be Loaded Through Back of Tooling Block for Ease of Use	✓	✓			✓
Headed Design for Repeatable Holder Replacement			✓	✓	
Long Length for Extended Reach Applications		✓		✓	
Modular & Double-Ended for Added Versatility					✓
Set Screw Number/Orientation	1/Top	1/Top	1/Side	1/Side	1/Side

Proudly Distributed By :

